

1. A high impact golf clubhead, comprising: a metallic body having a substantially flat ball striking wall on one side thereof angularly related to a vertical plane to provide clubhead loft, said ball striking wall having a plurality of generally parallel grooves therein and a face height, said ball striking wall having a substantially uniform thickness, said ball striking wall having a heel portion and a toe portion, said body having an integral hosel for receiving one end of a club shaft, means for perimeter weighting the body including an integral metallic perimeter wall surrounding at least a major portion of the ball striking wall and extending rearwardly therefrom forming a cavity in the rear of the clubhead with a bottom defined by the back of the ball striking wall, and means for increasing the perimeter weighting of the clubhead including an extension of the heel portion of the ball striking wall a substantial distance on the side of the hosel opposite the wall toe portion and perpendicular to the target line defining an extended heel portion and an extension of the perimeter wall around the perimeter of the extended heel portion of the ball striking wall, said hosel having an axis, said extension of the ball striking wall and said extension of the perimeter wall not being greater than 0.562 inches from the hosel axis in a direction perpendicular to the hosel axis.

2. A high impact golf clubhead, comprising: a metallic body having a substantially flat ball striking wall on one side thereof angularly related to a vertical plane to provide clubhead loft, said ball striking wall having a plurality of generally parallel grooves therein, said ball



